

#20



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of: TANG)
Application No.: 10/762,549)
Filed: January 23, 2004) Group Art Unit: 2856
For: MEDIUM, METHOD AND) Examiner: FAYYAZ, Nashmiya Saqib
SYSTEM FOR PROVING A) Attorney Docket: 218061.00002
TURBINE METER)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
USA

Dear Sir:

REQUEST FOR CORRECTED APPLICATION PUBLICATION
UNDER 37 C.F.R. 1.221(b)

Errors appear in the claims of the above-identified patent application as published under U.S. Patent Application Publication No. 2005/0160784. More specifically, errors appear in the claims as follows:

- Claim 13, line 6: "and (e)" should be --and (c)--.
- Claim 13, line 7: "1 bar<P<S0 bar" should be --1 bar<P<50 bar--.
- Claim 21, line 1: "a test median" should be -- a test medium--.

It is respectfully requested that the application be republished in accordance with 37 C.F.R. 1.221(b) and that said errors be rectified. This response is being filed within two months of the publication date - July 28, 2005.


The said errors in the claims of the published application should be apparent from a review of the claims of the application. Submitted with this response is a copy of the application as originally filed and a copy of U.S. Patent Application Publication No. US2005/0160784 A1 wherein the errors appearing in the claims have been highlighted to facilitate a review.

It is further respectfully submitted that the mistakes occurred on the part of the Patent Office.

The said errors are considered to be material in that these mistakes have occurred in the language of the claims of the application and could lead to adverse effects of the applicant's rights with respect to future enforcement of the claims.

Should the reviewing official require any further information with respect to this matter, it would be appreciated if they would contact the undersigned agent-of-record at the telephone number below.

Respectfully submitted,


Armand M. Benitah
Registration No. 56,026
Telephone No. 416 868 3470

FASKEN MARTINEAU DUMOULIN LLP
Toronto Dominion Bank Tower
P.O. Box 20
Toronto-Dominion Centre
Toronto, Ontario, CANADA
M5K 1N6

Date: Sept. 2, 2005
(AMB/az/218061.00002)

Encls. - Copy of application as originally filed
- Copy of published application